




Spec low-VOC coatings with high expectations.

You have a project you need to protect from the elements, but you want to use a coating that won't compromise your clients or your environment. The technology now exists to give you the durability you need with low odour, easy application and water cleanup. BRODA® is a line of high-performance eco-friendly coatings formulated here in Canada by CBR Products to withstand our environment and help protect it at the same time. CBR has been making low-VOC coatings for over 10 years, with many successful applications on projects large and small, across North America. When it comes time to specify low-VOC coatings for your next project, call us.



Protect it all.™

How does water borne oil finish work?



1. Natural oil is temporarily bonded to water, pigments are suspended in this liquid. Apply as much to the wood as can be absorbed.
2. Water opens the cells of the wood, promoting deep penetration, carrying oil and pigment into dry, damp or "green" wood.
3. Water evaporates, leaving oil bonded to the wood, locking in pigments. Fungal resistant, vapour permeable finish repels water and resists UV damage.
4. Brushes clean up with water, flushing away excess natural oils and pigments. No harsh solvents required.

Any more questions?

1-888-311-5339 · www.cbrproducts.com

Eco-Friendly Industrial and Commercial Products

CBR Products also carries a complete line of commercial-grade cleaners, sealers and coatings, including ASC Concentrated All Surface Cleaner, EFF-OFF! Efflorescent Remover, 601C Water Holdout and 501AG Anti-Graffiti Coating. Visit our web site or call your local BRODA® Dealer to find out more.



PRO•TEK•TOR *High Performance, Low-VOC, Oil Based Wood Finish*

BRODA® PRO•TEK•TOR contains oxide and trans-oxide pigments, very finely ground colours, suspended in linseed oil, tung oil and water. This combination penetrates easily, even into wood that is damp or 'green'. The addition of UV blockers and anti-mildew ingredients makes this family of coatings ideal for outdoor applications. When used indoors, PRO•TEK•TOR is equally effective, with no harsh solvent fumes and a rich, colourful finish. Enhances the natural beauty of wood. Advanced UV, water & mildew protection. Easy to use, cleans up with soap and water. Available in more than 50 colours. Ultra low VOC, low odour, non-flammable.



Usage:	1st and 2nd coat		Top coat options				
	Siding-Log-Timber (SLT)	Deck-Rail (DR)	Satin	SLT Clear UV Top Coat	DR Clear UV Top Coat	Clarity Wood-Stone (WS)	Pro-Thane
siding, wall shingles	✓			✓			
exterior timber, logs	✓			✓		✓	
interior timber, logs	✓		✓	✓		✓	✓
soffits	✓			✓		✓	
fascia		✓			✓		
exterior windows, doors		✓			✓	✓	
railings, fences		✓			✓		
decks		✓			✓		
interior trim, cabinets	✓		✓			✓	✓
interior floors	✓						✓
Coverage: 150 to 300 square feet per gallon, per coat					Prep: Sand smooth wood to 80 grit, power wash rough wood		
Application: Natural bristle brush, roller, spray, Do not apply in direct sunlight					Wood: All soft woods, dry, damp, or "green"		
See Product Data Sheet and Material Safety Data Sheet for more information - www.cbrproducts.com/protector							

www.cbrproducts.com/protector



CLARITY *High Performance, Low-VOC, 100% Acrylic Coating*

This family of water-based coatings creates a vapour permeable, flexible film with great UV stability and water repellency. The natural affinity of water to wood, concrete and stone, combined with the ultra small size of the acrylic particles, allows for fast, deep penetration. Cold weather, high humidity, damp or dry substrates are no problem, allowing application virtually year round in many climates. These non-yellowing, 100% acrylic finishes bond well to alkyd resins, and on exterior wood, work best over an oil-based wood finish. Low VOC, low odour, non-flammable. Easy to use, cleans up with soap and water. Non-ambering, tintable, UV stable, water repellent, mildew resistant.



Usage:	Wood-Stone (WS)	Masonry-Concrete (MC)
soffit, ceiling decking	satin	matte
interior logs, timbers	satin	matte
concrete slab	wet look	matte
paving stones	wet look	matte
masonry	wet look	matte
stone	wet look	matte
asphalt (driveway sealer)	wet look	matte
Coverage: 100 to 400 square feet per coat		Wood: All woods, dry, damp, or "green"
Application: Synthetic bristle brush, roller, spray		Concrete, masonry: Cured or "green"
Prep: Sand smooth wood to 80 grit, power wash rough surfaces		Note: Do not apply in direct sunlight
Remove all dirt, oil, grease and efflorescence		
See Product Data Sheet and Material Safety Data Sheet for more information - www.cbrproducts.com/clarity		

www.cbrproducts.com/clarity



PRO•THANE *High Performance, Low-VOC, Eco-friendly Water Based Urethane*

These finishes provide hard, tough, abrasion resistant films. Polyurethane is formulated with acrylic & oil in various combinations to create high performance, durable coatings for floors, stairs, cabinets, trim and protected exterior applications. Available in traditional rich amber or ultra-clear non-yellowing formulas. Low VOC, low-odour, non-flammable. Extremely tough, abrasion resistant. Quick to dry, re-coats easily. Easy to use, cleans up with soap and water. Two formulations: amber or non-ambering. Tintable.



Usage:	Ultra Rich Cabinet-Trim	Ultra Rich Floor-Stair	Ultra Clear Cabinet-Trim	Ultra Clear Floor-Stair
cabinets	✓		✓	
interior trim	✓		✓	
interior windows, doors	✓		✓	
protected exterior doors	✓			
wood floors, stairs		✓		✓
interior railings, bannisters	✓		✓	
furniture	✓		✓	
timbers, logs (interior use only)	✓		✓	
Coverage: 300 - 400 square feet per gallon, per coat		Prep: Sand wood as necessary, sand between coats		
Application: Synthetic bristle brush, spray		Ultra Rich will amber, Ultra Clear does not amber		
2 coats gloss, one coat satin recommended for satin finish		Note: wood must be below 12% moisture		
Use Ultra Clear over white stain, test before applying				
See Product Data Sheet and Material Safety Data Sheet for more information - www.cbrproducts.com/prothane				

www.cbrproducts.com/prothane

Phone Toll-Free: 1-888-311-5339 · Email: info@cbrproducts.com

CBR Products · #102-876 Cordova Dvsn, Vancouver, BC · V6A 3R3



Infinite shades of green.

BRODA® PRO-TEK-TOR is available in 52 standard colours, and can also be custom-tinted to almost any colour you need to match for a particular client or project. PRO-THANE urethane and CLARITY acrylic can also be tinted to a wide spectrum of colours. Give us a call, or send us a colour sample to explore the possibilities.

BRODA® 000-Series Clears and Colours.



BRODA® 100-Series Colours.



BRODA® 200 & 300 Series Colours.



Protect it all.™

Due to screen limitations, product colours may not be exactly as shown.
Call 1-888-311-5339 or e-mail samples@cbrproducts.com to order samples.